Formulate 20' Vertical Curve

FMLT-WV20-04

Formulate[™] is a collection of sophisticated, ergonomically designed exhibit booths. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the Formulate line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- State-of-the-art 30mm aluminum tubing with push-button connectors
- Frame can also be configured* as a standard 10' backwall (*requires additional 10' graphic purchase)
- Shelves hold max 10 lbs / 4.5 kgs each
- Kit includes: one frame, one dye-sublimated zipper pillowcase graphic, multi-shelf ladder, two OCL and one OCH2 storage cases
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit: 232.079"w x 92.879"h x 43.801"d	Refer to related graphic template for more information.
Multi-shelf ladder: 23.6"w x 92.7"h x 26.6"d Approximate weight (includes graphic): 134 lbs / 60.78 kgs	Visit: www.exhibitors-handbook.com/ graphic-templates
Shipping	
Shipping dimensions - ships in 3 cases: 2 OCL cases: 56"l x 19"w x 19"h 1 OCH2 case: 52"l x 29"w x 15"h	
Approximate shipping weight (with cases): 204 lbs / 92.5 kgs	

additional information:

Graphic material: dye-sublimated zipper pillowcase fabric, 3mm white pvc

Shelves hold max 10 lbs / 4.5 kgs

Table colors:












black mahogany natural




www.display-setup-animations.com


Parts Included						
Part Label	Otv	Part Code				
1270MM X 30MM TUBE	_	WV10-01-T1				
	1					
R2250 (1163MM ARC) CURVED TUBE	x7	WV10-01-T2				
30MM CURVED TUBE WITH PART T AND 90B LEFT SIDE	x1	WV10-01-T2-L				
30MM CURVED TUBE WITH PART T AND 90B RIGHT SIDE	x1	WV10-01-T2-R				
(2)128MM TUBES SWAGED WITH PART TC-30-T	x2	WV10-01-04				
(2)128MM TUBES SWAGED WITH PART TC-30-T	x2	WV10-01-T7				
(2) 128MM TUBES SWAGED WITH PART TC-30-X	x2	WV10-01-T5				
R2250 X 30MM TUBE WITH WELDED SWAGE RIGHT SIDE	x1	WV10-01-T6-PART C				
30MM LEG TUBE WITH LEVELING FOOT	x1	WV10-01-T7-V2		/		
(2) 67MM TUBES SWAGED WITH PART TC-30-T AND SPACER	x1	WV20-01-T7		/		
(2) 67MM TUBES SWAGED WITH PART TC-30-X	x1	WV20-01-T2		1		
STEEL PLATE FOR WVC	x2	WVC-PLATE-STD				
20' FABRIC GRAPHIC	x1	WV20-01-G		\		CI.
WV10-01-T2 WV10-01-T2 WV10-01-T1 WV10-01-T2		WV10-01-T5 WV10-01-T1 W10-01-T6-PAR	WV10-01-T1 WV10-01-T2 WV10-01-T2 WV10-01-T7 WV10-01-T7		WV10-01-T1 T2 V10-01-T5 WV10-01-T1	WV10-01-T2-L WVC-PLATE-S

Parts Included		
Part Label	Qty	Part Code
FABRIC GRAPHIC	x1	WV10-01-G
LN114 BOLT	x2	LN114 BOLT
90 DEGREE ELBOW JOINT FOR 30MM TUBING	x2	TC-30-90
1270MM X 30MM TUBE	х6	WV10-01-T1
30MM CURVED TUBE WITH PART T AND 90B LEFT SIDE	x1	WV10-01-T2-L
30MM CURVED TUBE WITH PART T AND 90B RIGHT SIDE	x1	WV10-01-T2-R
R2250 (1163MM ARC) CURVED TUBE	x4	WV10-01-T2
(2) 128MM TUBES SWAGED WITH PART TC-30-T	x2	WV10-01-T7
(2) 128MM TUBES SWAGED WITH PART TC-30-X	x1	WV10-01-T5
STEEL PLATE FOR WVC	x2	WVC-PLATE-STD




Parts Included – Ladder						
Part Label	Qty	Part Code				
520 X 300 X 30 COUNTER	х3	CTWL				
PARALLEL TUBE CLAMP FOR 30MM TUBES	x2	TCP-3030				
30MM TUBE SECTION	x2	WL-T3				
TOP SINTRA GRAPHICS	x2	WLLH-T-G				
30MM TUBE SECTION	x1	WL-T5				
30MM TUBE SECTION	x1	WL-T6				
30MM TUBE SECTION	x1	WL-T4				






STEP 1: ASSEMBLE FRAME




STEP 2: ATTACH FEET





STEP 4: ASSEMBLE LADDER FRAME








STEP 3: APPLY GRAPHIC













STEP 5: ATTACH SHELVES









STEP 7: ATTACH TO BACKWALL WITH CLAMPS

