Formulate 20' Horizontal Curve

FMLT-WH20-06

Formulate[™] is a collection of sophisticated, ergonomically designed exhibit booths. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the Formulate line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- State-of-the-art 30mm aluminum tubing with push-button connectors
- Easy to store and ship
- Frame can also be configured* as a standard 10' backwall (*requires additional 10' graphic purchase)
- Kit includes: one frame, one dye-sublimated zipper pillowcase graphic, stand-off pillowcase graphic ladder, and two wheeled molded OCL cases
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit:	Total visual area:
226.7292"w x 92.6882"h x 38.4928"d	250.5" w x 92" h
Stand-off pillowcase graphic ladder:	5740mm(w) x 2324mm(h)
23.6"w x 92.7"h x 17.7"d	Stand-off graphic total visual area:
	23.6″w x 97″h
Approximate weight (includes graphic): 113 lbs / 51.25 kgs	Please be sure to include a 2" bleed
115 1037 51.25 Kgs	around the perimeter.
	Refer to related graphic template for more information.
Shipping	more mornation.
Shipping dimensions - ships in 2 cases:	Visit:
2 OCL cases (each): 19"l x 19"w x 56"h	www.exhibitors-handbook.com/ graphic-templates
Approximate shipping weight (with cases):	
153 lbs / 69.4 kgs	
-	


additional information:

Graphic material: dye-sublimated zipper pillowcase fabric




www.display-setup-animations.com


Parts Included		
Part Label	Qty	Part Code
90 DEGREE ELBOW JOINT FOR 30MM TUBING	x4	TC-30-90
T JUNCTION FOR 30MM TUBING	x12	TC-30-T
4 WAY JUNCTION FOR 30MM TUBING	x5	TC-30-X
30MM TUBE SECTION	x12	WH-20-T1
1114MM X 30MM TUBE SECTION	x14	WH-20-T2
1114MM X 30MM TUBE SECTION	x6	WH-20-T3
20' FABRIC GRAPHIC	x1	WH20-01-G




Parts Included				
Part Label	Qty	Part Code		
FABRIC GRAPHIC	x1	WH10-01-G		
90 DEGREE ELBOW JOINT FOR 30MM TUBING	x4	TC-30-90		
T JUNCTION FOR 30MM TUBING	x6	TC-30-T		
4 WAY JUNCTION FOR 30MM TUBING	x2	TC-30-X		
R2000MM X 30MM TUBE (997MM ARC)	x9	WH10-01-T1		
1114MM X 30MM TUBE	x8	WH10-01-T2		




Parts Included – Ladder				
Part Label	Qty	Part Code		
FABRIC PILLOWCASE GRAPHIC	x1	WL01-G		
PARALLEL TUBE CLAMP FOR 30MM TUBES	x2	TCP3030		
535MM X 30MM TUBE WITH PART TC-30-T BOTH ENDS	x1	WL01-T1		
535MM X 30MM TUBE WITH (2) TC-30-90T	x2	WL01-T2		
R2000MM X 30MM TUBE (97MM ARC)	x4	WL01-T3		





STEP 1: ASSEMBLE FRAME




STEP 2: ATTACH GRAPHIC












STEP 4: ATTACH GRAPHICS





STEP 3: ASSEMBLE LADDER FRAME



STEP 5: ATTACH TO


BACKWALL WITH CLAMPS


TCP-30-30

Position accent in front of backwall

in desired location.

SNAP ON BUTTON TC-30-X Use TC-30-X to connect middle frame sections, snap on buttons.





Attach to backwall with (2) TCP3030 back to back tube clamps.