Formulate 10' Straight - Kit 7

FMLT-WS10-07

Formulate™ is a collection of sophisticated, ergonomically designed exhibit booths. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the Formulate line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- State-of-the-art 30mm aluminum tube frame with snap button assembly
- Easy to store and ship
- Quick to set up

- Kit includes: one frame, one dye-sublimated zipper pillowcase graphic, stand-off pillowcase graphic ladder, and one wheeled molded OCL storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

| Graphic | |
|---|--|
| Total visual area: 114"w x 91.5"h | |
| Pillowcase graphic ladder: 23.6"w x 97"h | |
| Please be sure to include a 2" bleed around the perimeter. | |
| Refer to related graphic template for | |
| more information. | |
| Visit: www.exhibitors-handbook.com/ graphic-templates | |
| | |
| | |

additional information:

Graphic material:

Dye-sublimated zipper pillowcase fabric


Optional accessories:

Lumina 8-50 watt halogen lighting, literature pocket, graphic header, larger freight cases




www.display-setup-animations.com


| Parts Included – Backwall | | |
|---|-----|-----------|
| Part Label | Qty | Part Code |
| 5MM STEEL BASE STYLE 2 FOR LINEAR | x2 | LN114-S2 |
| 90 DEGREE ELBOW JOINT FOR 30MM TUBING | x2 | TC-30-90 |
| 1114MM X 30MM TUBE | x4 | WS10-T1 |
| 1270MM X 30MM TUBE | х6 | WS10-T2 |
| (2) 128MM TUBES SWAGED WITH PART TC-30-T | x1 | WS10-T4 |
| (2) 128MM TUBES SWAGED WITH PART TC-30-X | x1 | WS10-T5 |
| 1114MM X 30MM TUBE WITH TC-30-T AND TC-30-90B | x2 | WS10-T6 |
| (2) 128MM TUBES SWAGED WITH PART TC-30-T | x1 | WS10-T7 |





| Parts Included – Ladder | | |
|---|-----|-----------|
| Part Label | Qty | Part Code |
| FABRIC PILLOWCASE GRAPHIC | x1 | WL01-G |
| PARALLEL TUBE CLAMP FOR 30MM TUBES | x2 | TCP3030 |
| 535MM X 30MM TUBE WITH PART TC-30-T BOTH ENDS | x1 | WL01-T1 |
| 535MM X 30MM TUBE WITH (2) TC-30-90T | x2 | WL01-T2 |
| R2000MM X 30MM TUBE (97MM ARC) | х4 | WL01-T3 |




STEP 1: ASSEMBLE FRAME












STEP 2: ATTACH FEET




Use provided allen key, secure feet to bottom of frame by screwing bolt.







STEP 4: ASSEMBLE LADDER FRAME
















STEP 6: ATTACH TO BACKWALL WITH CLAMPS





Attach to backwall with (2) TCP3030 back to back tube clamps.

